



Petrol front mowers



Park	500 WX	500	300 M	300
Level	Experience	Experience	Essential	Essential
Series	5	5	3	3
POWER	4 WD			
Power source	Petrol	Petrol	Petrol	Petrol
Power	11.90 kW	8.10 kW	7.10 kW	8.10 kW
Engine brand	STIGA	STIGA	STIGA	STIGA
Engine model	ST 550 Twin	ST 450	ST 400	ST 450
Displacement	586 cc	432 cc	414 cc	432 cc
Engine rotation speed	3200 rpm	3200 rpm	3200 rpm	3200 rpm
Fuel tank capacity	12 L	12 L	4.2 L	4.2 L
Maximum working area	7500 m ²	4500 m ²	2500 m ²	3000 m ²
MOWING				
Cutting method	Combi - switch between Multiclip mulching and rear discharge	Combi - switch between Multiclip mulching and rear discharge	Combi - switch between Multiclip mulching and rear discharge	Combi - switch between Multiclip mulching and rear discharge
Cutting width	95 - 125 cm	95 - 100 cm	85 cm	85 - 95 cm
Cutting height adjustment	Electric	Electric	Manual	Electric
COMFORT				
Deck lift	Manual	Manual	Manual	Manual
PTO engagement	Electromagnetic	Electromagnetic	Electromagnetic	Electromagnetic
Traction	Four-wheel drive	Rear-wheel drive	Rear-wheel drive	Rear-wheel drive
Transmission type	Hydrostatic	Hydrostatic	Hydrostatic	Hydrostatic
Steering type	Articulated (50/50)	Articulated (50/50)	Articulated	Articulated
Power assisted steering	Hydraulic	Hydraulic	Not available	Not available
Seat type	Comfort	Comfort	Standard	Standard
Front wheel size	16x7.50-8	16x7.50-8	14.3x5.60-8	14.3x5.60-8
Rear wheel size	16x7.50-8	16x7.50-8	14.3x5.60-8	14.3x5.60-8
Headlights	Led	No	No	No
Dashboard	Yes - compact	Yes - compact	No	No
Bluetooth connectivity	Optional	Optional	Not available	Not available
Auxiliary hydraulic outlets	No	No	No	No
Warranty	5 Years (T&C's Apply)	5 Years (T&C's Apply)	5 Years (T&C's Apply)	5 Years (T&C's Apply)
EAN	8008984852761	8008984852242	8008984505865	8008984852235
Art. N.	2F6130645/ST2	2F6120545/ST2	2F5820241/S16	2F5820421/ST2

Park deck compatibility



	Combi Pro 125 Q Plus	Combi Pro 110 Q Plus	Combi 100 Q Plus	Combi 95 Q Plus	Combi 95 Q	Combi 85 M Q
Park Pro 900 AWX	✗	✓				
Park Pro 900 WX	✗	✓				
Park 900 WX	✗	✓	✓			
Park 700 WX	✓	✗	✓			
Park 700 W	✓	✗	✓			
Park 500 WX	✓	✓	✗	✓		
Park 500 W		✓	✗	✗		
Park 500			✓	✗		
Park 300					✗	✓
Park 300 M						✗
Warranty	5 Years (T&C's Apply)	5 Years (T&C's Apply)	5 Years (T&C's Apply)	5 Years (T&C's Apply)	5 Years (T&C's Apply)	5 Years (T&C's Apply)
EAN	8008984852877	8008984852860	8008984852853	8008984852846	8008984852839	8008984852822
Art. N.	2D6312521/ST2	2D6311021/ST2	2D6210021/ST2	2D6209521/ST2	2D5809521/ST2	2D5808511/ST2

✗ Suggested combination ✓ Compatible combination ✓ Only in combination with rear ballast



STIGA QUICKFLIP PLUS TECHNOLOGY allows you to easily raise the deck for washing and maintenance with minimal effort. **Gear wheel-pin system, carefully designed to grant maximum safety while deck is lifted.**



STIGA QUICKFLIP TECHNOLOGY allows you to easily raise the deck for washing and maintenance with minimal effort.

Front mowers

Products	Code	Pos.	Park 300M	Park 300	Park 500	Park 500 W
Cargo rails for Park Pro ⁽¹⁾	2A0000060/S16	1				
Carrier Case	2A4052000/S16	2				
Combi cart plastic	13-0952-11	3	X	X	X	X
Dust cover for sweeper 85 cm	13-3916-61	4			X	X
Dust cover for sweeper 95 cm	13-1936-62	4			X	X
Edge cutter 2+4WD	13-3911-61	5			X	X
Fertiliser spreader	13-0955-11	6	X	X	X	X
Flail mower axle ⁽¹⁾	13-1985-11	7				
Flail mower EL complete, Park 2+4 WD	13-3902-11	8				
Flail mower, complete, Park 2+4 WD	13-0976-11	9				
Frame weights 2x13,5 kg ⁽¹⁾	13-0921-62	10				
Frame weights 2x17 kg	13-0939-61	11			X	X
Grass & leaf collector 42"	13-3926-11	12	X	X	X	X
Grass & leaf collector 42" compact	2A6107010/S17	13	X	X	X	X
Lawn rake axle ⁽¹⁾	13-1986-11	14				
Lawn rake EL complete, Park 2+4 WD	13-3901-11	15				
Lawn rake, complete, Park 2+4WD	13-0975-11	16				
Mulching Kit (Including blades)	2A0130060/ST1	17				
Poly Roller	299900260/0	18	X	X	X	X
Pro cart galvanized	13-3906-11	19	X	X	X	X
Protective cover STIGA	2A0000000/S16	20	X	X	X	X
RAC Quick connection ^{(1) (2)}	13-0994-61	21				
RAC Quick connection 2WD Park ^{(1) (2)}	13-0992-62	22				
RAC Quick connection 4WD Park ^{(1) (2)}	13-0993-61	22				
Rake tool 100 cm Park (in combination with tool lift)	13-3913-11	23				
Rake tool 130 cm Park (in combination with tool lift)	13-3914-11	24				
Rear tool lift, Electric, Park	13-3919-11	25				
Rear tool lift, manual, Park	13-3909-11	26				
Rubber scraper bar 107 cm ⁽¹⁾	13-3904-61	27				
Rubber scraper bar 120 cm	13-1958-62	27			X	X
Rubber scraper Hydraulic blade	13-3934-61	27				
Rubber scraper Hydraulic X Blade	13-3933-61	28				
Sand spreader Park	13-1975-14	29				
Side brush accessory	13-3915-11	30				
Snow blade 107 cm universal ⁽¹⁾	13-3922-61	31				
Snow blade 120 cm Park	13-3917-61	32			X	X
Snow Blade for Park 120 -220	2A3107020/S16	33	X	X		
Snow Blade Park Hydraulic	13-3932-11	34				
Snow chains 16"x6 ⁽¹⁾	13-0940-61	35			X	X
Snow Chains 16"x7,5	13-0936-61	36				
Snow Chains 160/50-8	13-3927-61	36	X	X		
Snow Chains 17"x8	13-0937-61	36				
Snow thrower 2-stage Hydraulic	13-3930-11	37				
Snow thrower 2-stage Park Pro	13-0922-12	38				
Snow thrower Park 2+4WD	13-0974-11	39			X	X
Snow tyres spikes	299900450/0	40			X	X
Spring hoe	13-0978-61	41			X	X
Sweeper for Park 120 - 220	2A1100040/S16	42	X	X		
Sweeper Park 2+4 WD	13-0977-11	43			X	X
Sweeper Park hydraulic	13-3929-11	44				
Sweeper Villa e Park 2+4WD	13-3918-61	45			X	X
Sweeper with collector	13-3910-11	46				
Trailer hitch	2A0000060/ST1	47				
Winter wheels Park, pair 16"	2A9000050/S16	48			X	X
X blade Park Hydraulic	13-3931-11	49				
ZTR 52" Mulching Kit (Including blades)	2A0130060/S17	50				



Park	900 WX	700 WX	700 W	500 W
Level	Expert	Experience	Experience	Experience
Series	9	7	7	5
POWER	4WD	4WD		
Power source	Petrol	Petrol	Petrol	Petrol
Power	13.70 kW	13.10 kW	13.10 kW	11.90 kW
Engine brand	STIGA	STIGA	STIGA	STIGA
Engine model	ST 650 Twin	ST 600 Twin	ST 600 Twin	ST 550 Twin
Displacement	635 cc	586 cc	586 cc	586 cc
Engine rotation speed	3200 rpm	3200 rpm	3200 rpm	3200 rpm
Fuel tank capacity	12 L	12 L	12 L	12 L
Maximum working area	9500 m²	8500 m²	8000 m²	7000 m²
MOWING				
Cutting method	Combi - switch between Multiclip mulching and rear discharge	Combi - switch between Multiclip mulching and rear discharge	Combi - switch between Multiclip mulching and rear discharge	Combi - switch between Multiclip mulching and rear discharge
Cutting width	95 - 125 cm	95 - 125 cm	95 - 125 cm	95 - 110 cm
Cutting height adjustment	Electric	Electric	Electric	Electric
COMFORT				
Deck lift	Manual	Manual	Manual	Manual
PTO engagement	Electromagnetic	Electromagnetic	Electromagnetic	Electromagnetic
Traction	Four-wheel drive	Four-wheel drive	Rear-wheel drive	Rear-wheel drive
Transmission type	Hydrostatic	Hydrostatic	Hydrostatic	Hydrostatic
Steering type	Articulated (50/50)	Articulated (50/50)	Articulated (50/50)	Articulated (50/50)
Power assisted steering	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Seat type	Comfort with high back support	Comfort with high back support	Comfort with high back support	Comfort
Front wheel size	16x7.50-8	16x7.50-8	16x7.50-8	16x7.50-8
Rear wheel size	16x7.50-8	16x7.50-8	16x7.50-8	16x7.50-8
Headlights	LED - Advanced	LED - Advanced	LED - Advanced	Led
Dashboard	Yes	Yes	Yes	Yes - compact
Bluetooth connectivity	Yes as standard	Yes as standard	Yes as standard	Optional
Auxiliary hydraulic outlets	No	No	No	No
Warranty	5 Years (T&C's Apply)	5 Years (T&C's Apply)	5 Years (T&C's Apply)	5 Years (T&C's Apply)
EAN	8008984860254	8008984852785	8008984852778	8008984852754
Art. N.	2F6230845/ST2	2F6230745/ST2	2F6220745/ST2	2F6120645/ST2

(1) Compatible with the old range
 (2) Park models already equipped with RAC

STIGA Park front mowers: Iconic cutting quality and cutting-edge performance

From summer through to winter, mowing is a breeze with a STIGA front mower. Easy to manoeuvre and great at mulching, STIGA front mowers are ideal for managing large, multi-level gardens. Blissfully agile, the position of the deck ensures control and visibility around every corner.



Expert



Top-performer in the Market



9500 - 13000 sqm



Powered by pro-grade engines



Soft-grip steering wheel
Top-featured for comfort
Seat with high back support



Hydraulic power steering / Hydro-RAM
High-speed performance (up to 14 km/h)



Hydraulic lifting of accessories
Large fuel tank, for quick and clean refueling operations
Wide and high LED beams
Backlight display with working parameters (on PRO models)

Park Pro 900 AWX
Park Pro 900 WX
Park 900 WX

Experience

Highly flexible, comfortable and performing machine.

4000 - 8500 sqm

Powered by STIGA twin-cylinder engines

Soft-grip steering wheels
Compartment for personal belongings
Easy-to-reach side panel with all commands

Power steering
4WD on some models

Wide and high beams, all LED

Park 700 WX
Park 700 W

Park 500 WX
Park 500 W
Park 500

Essential

Easy-to-use
Mulching-specific
Convenience

2500 - 3000 sqm

Powered by STIGA single-cylinder engines

Easy-to-reach commands

Knob on wheel for easy *manoeuvring*

Park 300
Park 300 M

What's my name?

W = Twin cylinder engine // X = 4 wheel drive // A = Auxiliary hydraulic outlets // M = Manual cutting height adjustment