according to Regulation (EC) No 1907/2006

Revision date: 19.06.2020

Granit Kontaktreiniger 400ml Product code: 1104253

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Granit Kontaktreiniger 400ml

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaner

1.3. Details of the supplier of the safety data sheet

Company name:	Wilhelm Fricke SE	
Street:	Zum Kreuzkamp 7	
Place:	D-27404 Heeslingen	
Telephone:	+49 (4281) 712 – 488	Telefax: +49 (4281) 712 – 233
e-mail:	info@fricke.de	
Internet:	www.fricke.de	
1.4. Emergency telephone	111 NHS (National Health Service)	
<u>number:</u>		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Aerosol: Aerosol 1 Aspiration hazard: Asp. Tox. 1 Serious eye damage/eye irritation: Eye Irrit. 2 Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 2 Hazard Statements: Extremely flammable aerosol. Pressurised container: May burst if heated. May be fatal if swallowed and enters airways. Causes serious eye irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Hydrocarbons C7-C9, n-alkanes, iso-alkanes, cyclics 2-Propanol

Signal word: Pictograms: Danger





H222 H229	Extremely flammable aerosol. Pressurised container: May burst if heated.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

according to Regulation (EC) No 1907/2006

Granit Kontaktreiniger 400	nl
----------------------------	----

Revision date: 19.06.2020

Product code: 1104253

Page 2 of 11

Precautionary statements

•	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P260	Do not breathe spray.
P273	Avoid release to the environment.
P280	Wear eye protection/face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container according to the official regulations.
pecial labelling of cert	ain mixtures

Special labelling of certain mixtures EUH066 Repeated e

Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	GHS Classification			
64742-49-0	Hydrocarbons C7-C9, n-all	kanes, iso-alkanes, cyclics		25 - < 50 %
	920-750-0		01-2119473851-33	
	Flam. Liq. 2, STOT SE 3, A	Asp. Tox. 1, Aquatic Chronic 2; H2	225 H336 H304 H411 EUH066	
67-63-0	2-Propanol	25 - < 50 %		
	200-661-7	0-661-7 603-117-00-0 01-2119457558-25		
	Flam. Liq. 2, Eye Irrit. 2, S			
124-38-9	carbon dioxide	3 - < 5 %		
	204-696-9			
108-01-0	2-dimethylaminoethanol, N	< 0.1 %		
	203-542-8			
	Flam. Liq. 3, Acute Tox. 3, H226 H331 H312 H302 H3			

Full text of H and EUH statements: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004

>= 30 % aliphatic hydrocarbons.

SECTION 4: First aid measures

4.1. Description of first aid measures

according to Regulation (EC) No 1907/2006

Granit Kontaktreiniger 400ml

Revision date: 19.06.2020

Product code: 1104253

Page 3 of 11

General information

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO2). Extinguishing powder.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

Additional information

Danger of bursting container.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8

according to Regulation (EC) No 1907/2006

Granit Kontaktreiniger 400ml

Revision date: 19.06.2020

Product code: 1104253

Page 4 of 11

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Heating causes rise in pressure with risk of bursting.

Further information on handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.

Hints on joint storage

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

Further information on storage conditions

Protect from frost. Protect against direct sunlight. Store in a cool dry place. Observe legal regulations and provisions.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
108-01-0	2-Dimethylaminoethanol	2	7.4		TWA (8 h)	WEL
		6	22		STEL (15 min)	WEL
124-38-9	Carbon dioxide	5000	9150		TWA (8 h)	WEL
		15000	27400		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

according to Regulation (EC) No 1907/2006

Granit Kontaktreiniger 400ml

Revision date: 19.06.2020

Product code: 1104253

Page 5 of 11

DNEL/DMEL values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
64742-49-0	Hydrocarbons C7-C9, n-alkanes, iso-alkanes, cyclics						
Worker DNEL,	long-term	inhalation	systemic	2035 mg/m³			
Worker DNEL,	long-term	dermal	systemic	773 mg/kg bw/day			
Consumer DNE	EL, long-term	inhalation	systemic	608 mg/m³			
Consumer DNE	EL, long-term	dermal	systemic	699 mg/kg bw/day			
Consumer DNE	EL, long-term	oral	systemic	699 mg/kg bw/day			

Additional advice on limit values

a no restriction

b End of exposure or end of shift

c at long term exposure: after several previous shifts

d before next shift

blood (B)

Urine (U)

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Protective and hygiene measures

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

Eye/face protection

Suitable eye protection: Tightly sealed safety glasses. DIN EN 166

Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time (maximum wearing time) 480min Thickness of the glove material 0,45 mm

EN ISO 374

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. When exceeding the relevant workplace exposure limits, note the following: Suitable respiratory protective equipment: Combination filter device (DIN EN 141).. Filtering device with filter or ventilator filtering device of type: AX Observe the wear time limits as specified by the manufacturer. Observe legal regulations and provisions.

Environmental exposure controls

Observe legal regulations and provisions.

according to Regulation (EC) No 1907/2006

Granit	Kontaktreiniger 400ml
--------	-----------------------

Revision date: 19.06.2020

Product code: 1104253

Page 6 of 11

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	Aerosol colourless solvent like		
			Test method
pH-Value (at 20 °C):			DIN 19268
Changes in the physical state Initial boiling point and boiling range:		82 °C	
Flash point:		1 °C	
Lower explosion limits: Upper explosion limits:		0,6 vol. % 12 vol. %	
Density (at 20 °C):		0,7525 g/cm³	DIN 51757
2 Other information			

9.2. Other information

Data apply to technical substance: Relative density, Colour, Odour, Viscosity, pH.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Do not expose to temperatures above 50 °C. Heating causes rise in pressure with risk of bursting.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Take precautionary measures against static discharges.

10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

Granit Kontaktreiniger 400ml

Revision date: 19.06.2020

Product code: 1104253

Page 7 of 11

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
64742-49-0	Hydrocarbons C7-C9, n-a	Hydrocarbons C7-C9, n-alkanes, iso-alkanes, cyclics							
	dermal	LD50 3100 mg/kg	> 2800 -	Rat	Study report (1977)	The acute toxicity of SBP 100/140 was de			
	inhalation (4 h) vapour	LC50 mg/l	> 23,3	Rat	Study report (1988)	OECD Guideline 403			
67-63-0	2-Propanol								
	oral	LD50 mg/kg	5280	Rat					
	dermal	LD50 mg/kg	> 2000	Rabbit					
	inhalation (4 h) vapour	LC50	47,5 mg/l	Rat					
108-01-0	2-dimethylaminoethanol,	N,N-dimethyle	ethanolamir	ne					
	oral	LD50 mg/kg	2000	Rat	GESTIS				
	dermal	LD50 mg/kg	1220	Rabbit	GESTIS				

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

No indication of human carcinogenicity.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons C7-C9, n-alkanes, iso-alkanes, cyclics; 2-Propanol)

STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

Aspiration hazard

May be fatal if swallowed and enters airways.

Specific effects in experiment on an animal

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

according to Regulation (EC) No 1907/2006

Granit Kontaktreiniger 400ml

Revision date: 19.06.2020

Product code: 1104253

Page 8 of 11

CAS No	Chemical name	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method			
64742-49-0	Hydrocarbons C7-C9, n-a	Hydrocarbons C7-C9, n-alkanes, iso-alkanes, cyclics								
	Acute algae toxicity	ErC50	12 mg/l	72 h	Pseudokirchneriella subcapitata	SIDS Initial Assessment Report For SIAM	OECD Guideline 201			
	Acute crustacea toxicity	EC50	7,4 mg/l	48 h	Daphnia magna	SIDS Initial Assessment Report For SIAM	OECD Guideline 202			
	Fish toxicity	NOEC mg/l	0,574	28 d	Oncorhynchus mykiss	Hydrocarbon Solvents Consortium SEIF (HS	The aquatic toxicity was estimated by a			
	Crustacea toxicity	NOEC	1 mg/l	21 d	Daphnia magna	SIDS Initial Assessment Report For SIAM	OECD Guideline 211			
67-63-0	2-Propanol				•					
	Acute fish toxicity	LC50 mg/l	9640	96 h	Pimephales promelas					
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus					
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna					

12.2. Persistence and degradability

There are no data available on the mixture itself. AOX (mg/l): 0

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-63-0	2-Propanol	0,05

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

List of Wastes Code - used product

according to Regulation (EC) No 1907/2006

Granit Kontaktreiniger 400ml			
Revision date: 19.06.2020	Product code: 1104253	Page 9 of 11	
	WISE SPECIFIED IN THE LIST; gases in pressure containers and uses in pressure containers (including halons) containing hazardous waste		
PROTECTIVE CLOTHIN	ackaging ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND NG NOT OTHERWISE SPECIFIED; packaging (including separately kaging waste); metallic packaging		
SECTION 14: Transport information			
Land transport (ADR/RID)			
14.1. UN number:	UN 1950		
14.2. UN proper shipping name:	AEROSOLS		
14.3. Transport hazard class(es):	2		
14.4. Packing group:	-		
Hazard label:	2.1		
Classification code:	5F		
Special Provisions:	190 327 344 625		
Limited quantity:	1 L		
Excepted quantity:	EO		
Transport category: Tunnel restriction code:	2 D		
	b		
Inland waterways transport (ADN)	UN 1950		
14.1. UN number:			
14.2. UN proper shipping name:	AEROSOLS		
14.3. Transport hazard class(es):	2		
14.4. Packing group:	-		
Hazard label: Classification code:	2.1 5F		
Special Provisions:	190 327 344 625		
Limited quantity:	1 L		
Excepted quantity:	E0		
Marine transport (IMDG)			
<u>14.1. UN number:</u>	UN 1950		
14.2. UN proper shipping name:	AEROSOLS (Hydrocarbons C7-C9, iso-alkanes)		
14.3. Transport hazard class(es):	2.1		
14.4. Packing group:	-		
Hazard label:	2.1		
Marine pollutant:	yes		
Special Provisions:	63, 190, 277, 327, 344, 381,959		
Limited quantity:	1000 mL		
Excepted quantity: EmS:	E0 F-D, S-U		
Air transport (ICAO-TI/IATA-DGR)			
<u>14.1. UN number:</u>	UN 1950		
	AEROSOLS, flammable		
14.2. UN proper shipping name:	2.1		
14.3. Transport hazard class(es):	۷.۱		
<u>14.4. Packing group:</u> Hazard label:	- 2.1		
Special Provisions:	2. I A145 A167 A802		

according to Regulation (EC) No 1907/2006

Granit Kontaktreiniger 400ml			
Revision date: 19.06.2020	Product code: 1104253	Page 10 of 11	
Limited quantity Passenger:	30 kg G		
Passenger LQ:	Y203		
Excepted quantity:	E0		
IATA-packing instructions - Passenger:	203		
IATA-max. quantity - Passenger:	75 kg		
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	203 150 kg		
14.5. Environmental hazards	130 kg		
ENVIRONMENTALLY HAZARDOUS:	ves		
Danger releasing substance:	yes Hydrocarbons C7-C9, iso-alkanes		
SECTION 15: Regulatory information			
15.1. Safety, health and environmental req	ulations/legislation specific for the substance or mixture		
EU regulatory information			
Restrictions on use (REACH, annex XVI	Ŋ.		
Entry 28: Hydrocarbons C7-C9, n-al-	,		
2010/75/EU (VOC):	No information available.		
2004/42/EC (VOC):	No information available.		
Additional information			
Safety Data Sheet according to Regu Aerosol directive (75/324/EEC)	ulation (EC) No. 1907/2006 (REACH)		
National regulatory information			
Water hazard class (D):	1 - slightly hazardous to water		
SECTION 16: Other information			
Changes			
This data sheet contains changes fro	om the previous version in section(s): 2,3,9.		
Abbreviations and acronyms			
	ort des marchandises dangereuses par Route (European Agreement		
concerning the International Carriage			
	nant le transport des marchandises dangereuses par chemin de fer		
IATA: International Air Transport Asso	tional Transport of Dangerous Goods by Rail)		
IMDG: International Maritime Code for			
	of Classification and Labelling of Chemicals		

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level

WEL (UK): Workplace Exposure Limits

TWA (EC): Time-Weighted Average

ATE: Acute Toxicity Estimate

STEL (EC) Short Term Exposure Limit

LC50: Lethal Concentration

EC50: half maximal Effective Concentration

ErC50: means EC50 in terms of reduction of growth rate

Relevant H and EUH statements (number and full text) H222

Extremely flammable aerosol.

according to Regulation (EC) No 1907/2006

Revision date: 19.06.2020	Granit Kontaktreiniger 400ml Product code: 1104253	Page 11 of 11
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	
H411	Toxic to aquatic life with long lasting effects.	
EUH066	Repeated exposure may cause skin dryness or cracking.	
Further Information		
Classification for mix Calculation method.	tures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]:	

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)